

TEST REPORT

REPORT NO.: 171822448

REPORT DATE: 08/08/2017

Customer Name

Lacon Quality Certification Pvt Ltd

Address

Chenathra, Theepany, Thiruvalla, Pathanamthitta, Kerala-689101

Sample(s) Drawn by The Laboratory

No

Date of Sample Received

18/07/2017

Date of Starting Analysis

31/07/2017

Date of Completion

07/08/2017

Sample Description

Soyabean Raw

Sample Details

Nature: Solid, Lot No.: RM/BS/05, Ref. No.: LA00406, Qty.:
650gm, Sealed: No, Packing: Plastic Pack

Observation - The sample is found to be negative for 35S promoter gene sequence and NOS terminator gene sequence. LIMIT OF DETECTION 0.05 %

PARAMETER NAME	RESULT	UNIT	LOQ	METHOD
35S Promoter [Qualitative]	Not Detected	-	--	FSLs(AS)/BIO-MOL-SOP-004
NOS Terminator [Qualitative]	Not Detected	-	--	FSLs(AS)/BIO-MOL-SOP-004
Profenophos	BLQ	mg/kg	0.01	TUV/SOP/03/0114
Triazophos	BLQ	mg/kg	0.01	TUV/SOP/03/0114
Glyphosate	BLQ	mg/kg	0.01	TUV/SOP/03/014



Certificate No. T-0696/T-0696



171822448

Page 1 of 2